

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6031	(option\$ROM) or (option\$memory) or (option adj3 ROM) or (option adj3 memory) or (option adj3 read adj2 only adj2 memory) or (expansion\$ROM) or (expansion\$memory) or (expansion adj3 ROM) or (expansion adj3 memory) or (expansion adj3 read adj2 only adj2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:20
L3	38	2 with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 09:59
L4	0	(BIOS\$extension) with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:01
L5	0	(BIOS?extension) with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:01
L6	0	(BIOS?\$1extension) with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:02
L7	27	(BIOS adj2 extension) with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:10
L8	0	2 with (shadowing with (buffer or temporary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:03
L9	0	7 with (shadowing with (buffer or temporary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:03
L10	0	7 and (shadowing with (buffer or temporary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:22

L11	1203	((memory or PCI) near3 (card) near3 adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:07
L12	0	(mother near3 (board or card)) with (daughter near3 (board or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:23
L14	2223	(mother near3 (board or card)) and (daughter near3 (board or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:25
L15	485	(daughter near3 (board or card)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:33
L16	368	(daughter near3 (board)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:33
L17	33	(mother near3 (card)) and (daughter near3 (card)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:44
L18	17	(mother near3 daughter near3 (card)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:44
L19	1320	((memory or PCI) near3 (card or board) near3 adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:08
L20	435	((PCI or (Peripheral near2 Component near2 Interconnect)) near3 (card or board) near3 adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:09

L21	53	20 and ((BIOS adj2 extension) or (option\$ROM) or (option\$memory) or (option adj3 ROM) or (option adj3 memory) or (option adj3 read adj2 only adj2 memory) or (expansion\$ROM) or (expansion\$memory) or (expansion adj3 ROM) or (expansion adj3 memory) or (expansion adj3 read adj2 only adj2 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:10
L22	39	14 and (daughter with (flash or memory or ROM) with (OS or (operating near3 system) or (boot near3 loader) or BIOS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:28
L23	39	14 and (daughter with (flash or memory or ROM) with ('OS' or (operating near3 system) or (boot near3 loader) or 'BIOS'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:51
L24	311	(daughter with ('OS' or (operating near3 system) or (boot near3 loader) or 'BIOS'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:37
L25	51	(daughter near4 card near4 ('OS' or (operating near3 system) or (boot near3 loader) or 'BIOS'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:50
L26	4	(daughter near4 card near4 ((operating near3 system) or (boot near3 loader) or 'BIOS'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:50
L27	2822	flash near4 ('OS' or (operating near3 system) or (boot near3 loader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:51
L28	921	flash near4 ((operating near3 system) or (boot near3 loader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52
L29	30	2 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1589	710/62,313,314,315.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:09
L2	30	1 and (((PCI or (Peripheral near2 Component near2 Interconnect)) near3 (card or board) near3 adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:09
L3	11	1 and ((mother near3 (board or card)) and (daughter near3 (board or card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:10
L4	80	1 and ((option\$ROM) or (option\$memory) or (option adj3 ROM) or (option adj3 memory) or (option adj3 read adj2 only adj2 memory) or (expansion\$ROM) or (expansion\$memory) or (expansion adj3 ROM) or (expansion adj3 memory) or (expansion adj3 read adj2 only adj2 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:10
L5	0	1 and ((BIOS adj2 extension) with ((non\$PCI) or (non\$standard) or (ISA) or (industry adj2 standard adj2 architecture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:10